

STORMWATER OIL CLEAN-UP GUIDELINE FOR PROJECTS COVERED UNDER THE CGP


NOT TO SCALE

MINIMUM REQUIREMENTS

ALL OIL SPILLS GREATER THAN 25 GALLONS MUST BE REPORTED TO THE TCEQ (432-570-1359) AND TO THE CITY OF ODESSA (432-335-3290) IMMEDIATELY UPON DISCOVERY.



AT NO POINT DURING THE CLEAN-UP CAN ANY OF THE CONTAMINATED SOILS BE PLACED INTO ANY CITY OF ODESSA WASTE CONTAINERS, ALL QUALIFYING AMOUNTS OF CONTAMINATED SOILS MUST BE TAKEN TO PROPER DISPOSAL FACILITIES.

OIL SPILLS



- a) SPILL LESS THAN 1 SQ. FT. (SURFACE AREA)**
- i) SPREAD OR WORK INTO SOIL ONSITE**
 - ii) DOCUMENT SPILL CAUSE AND CORRECTIVE ACTION IN SWPPP**

- b) SPILLS GREATER THAN 1 SQ. FT. BUT LESS THAN 8 SQ. FT. (SURFACE AREA)**
- i) REMOVE ALL SIGNS OF VISIBLE STAINING**
 - ii) TAKE OIL LADEN MATERIAL TO LOCAL DISPOSAL FACILITY**
 - iii) DOCUMENT SPILL**
 - 1) CAUSE (WHY IT HAPPENED)**
 - 2) CORRECTIVE ACTION IN SWPPP (HOW DID YOU FIX IT)**
 - 3) INCLUDE DISPOSAL RECEIPTS**



- c) SPILLS GREATER THAN 8 SQ. FT. (SURFACE AREA)**
- i) REMOVE ALL SIGNS OF VISIBLE STAINING**
 - ii) TAKE OIL LADEN MATERIAL TO LOCAL DISPOSAL FACILITY**
 - iii) CALL FOR AN INSPECTION FROM STORMWATER DEPARTMENT TO VERIFY REMOVAL**
 - iv) DOCUMENT SPILL CAUSE AND CORRECTIVE ACTION IN SWPPP**
 - 1) CAUSE (WHY IT HAPPENED)**
 - 2) CORRECTIVE ACTION IN SWPPP (HOW DID YOU FIX IT)**
 - 3) INCLUDE DISPOSAL RECEIPTS**

DRAWN BY: JStewart/La
 DATE: April 23, 2015
 SCALE: N.T.S.